

Tables

A summary of diseases currently being reported by each jurisdiction is provided in Table 1. There were 28,499 notifications to the National Notifiable Diseases Surveillance System (NNDSS) with a notification date between 1 October and 31 December 2005 (Table 2). The notification rate of diseases per 100,000 population for each State or Territory is presented in Table 3.

There were 5,223 reports received by the Virology and Serology Laboratory Reporting Scheme (LabVISE) in the reporting period, 1 October to 31 December 2005 (Tables 4 and 5).

Table 1. Reporting of notifiable diseases by jurisdiction

Disease	Data received from:	Disease	Data received from:		
Bloodborne diseases					
Hepatitis B (incident)	All jurisdictions	Diphtheria	All jurisdictions		
Hepatitis B (unspecified)	All jurisdictions	<i>Haemophilus influenzae</i> type b	All jurisdictions		
Hepatitis C (incident)	All jurisdictions except Qld	Influenza (laboratory confirmed)*	All jurisdictions		
Hepatitis C (unspecified)	All jurisdictions	Measles	All jurisdictions		
Hepatitis D	All jurisdictions	Mumps	All jurisdictions		
Gastrointestinal diseases					
Botulism	All jurisdictions	Pertussis	All jurisdictions		
Campylobacteriosis	All jurisdictions except NSW	Pneumococcal disease (invasive)	All jurisdictions		
Cryptosporidiosis	All jurisdictions	Poliomyelitis	All jurisdictions		
Haemolytic uraemic syndrome	All jurisdictions	Rubella	All jurisdictions		
Hepatitis A	All jurisdictions	Rubella - congenital	All jurisdictions		
Hepatitis E	All jurisdictions	Tetanus	All jurisdictions		
Listeriosis	All jurisdictions	Vectorborne diseases			
Salmonellosis	All jurisdictions	Barmah Forest virus infection	All jurisdictions		
Shigellosis	All jurisdictions	Flavivirus infection (NEC) [†]	All jurisdictions		
SLTEC, VTEC	All jurisdictions	Dengue	All jurisdictions		
Typhoid	All jurisdictions	Japanese encephalitis virus	All jurisdictions		
Quarantinable diseases					
Cholera	All jurisdictions	Kunjin virus	All jurisdictions		
Plague	All jurisdictions	Malaria	All jurisdictions		
Rabies	All jurisdictions	Murray Valley encephalitis virus	All jurisdictions		
Smallpox	All jurisdictions	Ross River virus infection	All jurisdictions		
Tularemia	All jurisdictions	Zoonoses			
Viral haemorrhagic fever	All jurisdictions	Anthrax	All jurisdictions		
Yellow fever	All jurisdictions	Australian bat lyssavirus	All jurisdictions		
Sexually transmissible infections					
Chlamydial infection	All jurisdictions	Brucellosis	All jurisdictions		
Donovanosis	All jurisdictions	Leptospirosis	All jurisdictions		
Gonococcal infection	All jurisdictions	Lyssaviruses unspecified	All jurisdictions		
Syphilis (all)	All jurisdictions	Ornithosis	All jurisdictions		
Syphilis < 2 years duration	All jurisdictions	Q fever	All jurisdictions		
Syphilis > 2 years or unspecified duration	All jurisdictions	Other bacterial infections			
Syphilis - congenital	All jurisdictions	Legionellosis	All jurisdictions		
		Leprosy	All jurisdictions		
		Meningococcal infection	All jurisdictions		
		Tuberculosis	All jurisdictions		

* Laboratory confirmed influenza is not notifiable in South Australia but reports are forwarded to NNDSS.

† Flavivirus (NEC) replaced Arbovirus (NEC) from 1 January 2004.

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 October to 31 December 2005, by date of onset*

Disease	State or territory						Total 4th quarter 2005†	Total 3rd quarter 2005	Total 4th quarter 2004	Last 5 years mean 4th quarter	Year to date 2005	Last 5 years YTD mean	Ratio‡
	ACT	NSW	NT	Qld	SA	Tas							
Bloodborne diseases													
Hepatitis B (incident)	1	12	0	10	1	0	13	5	42	58	61	77.8	238
Hepatitis B (unspecified)	29	655	58	236	54	13	332	78	1,455	1,923	1,472	1,641.0	6,979
Hepatitis C (incident)	0	9	0	NN	9	0	12	21	51	86	107	123.0	318
Hepatitis C (unspecified)	43	1,395	51	737	109	33	511	242	3,121	3,859	3,023	3,752.6	14,123
Hepatitis D	0	1	0	2	0	0	1	2	6	16	5	3.8	30
Gastrointestinal diseases													
Botulism	0	0	0	0	0	0	0	0	0	1	0	0.0	3
Campylobacteriosis§	107	NN	64	1,253	801	217	1,382	734	4,558	3,792	4,559	4,328.8	16,044
Cryptosporidiosis	7	270	16	247	35	13	113	26	727	334	476	359.0	3,137
Haemolytic uraemic syndrome	0	1	0	0	0	0	0	0	1	3	6	5.0	12
Hepatitis A	2	19	9	9	3	0	9	2	53	85	61	109.6	305
Hepatitis E	0	1	0	0	0	0	0	0	1	5	6	3.0	30
Listeriosis	1	6	0	4	4	0	3	0	18	9	14	16.0	54
Salmonellosis (NEC)	15	527	79	689	149	171	384	231	2,245	1,322	1,955	1,743.0	8,229
Shigellosis	1	21	40	20	21	0	19	34	156	156	136	117.0	721
SLTEC, VTETC¶	0	7	0	1	12	1	0	0	21	17	14	11.8	84
Typhoid	0	2	0	3	0	0	1	1	7	11	16	14.0	50
Quarantineable diseases													
Cholera	0	0	0	0	0	0	0	0	0	0	0	0.4	3
Plague	0	0	0	0	0	0	0	0	0	0	0	0.0	0
Rabies	0	0	0	0	0	0	0	0	0	0	0	0.0	0
Smallpox	0	0	0	0	0	0	0	0	0	0	0	0.0	0
Tularemia	0	0	0	0	0	0	0	0	0	0	0	0.0	0
Viral haemorrhagic fever	0	0	0	0	0	0	0	0	0	0	0	0.0	0
Yellow fever	0	0	0	0	0	0	0	0	0	0	0	0.0	0

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 October to 31 December 2005, by date of onset,* continued

Disease	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	Total 4th quarter 2005†	Total 3rd quarter 2005	Total 4th quarter 2004	Last 5 years mean 4th quarter	Year to date 2005	Last 5 years YTD mean	Ratio‡
Sexually transmissible infections															
Chlamydial infection**	160	2,450	312	1,920	586	198	1,769	1,237	8,632	10,117	9,139	6,458.0	39,978	25,596.6	1.6
Donovanosis	0	0	0	2	0	0	0	1	3	3	4	4.2	13	19.2	0.7
Gonococcal infection	10	337	282	369	56	9	308	355	1,726	1,919	1,759	1,526.0	7,742	6,491.2	1.2
Syphilis (all)	2	177	24	75	2	3	109	33	425	565	560	499.2	2,108	1,610.8	1.3
Syphilis < two years duration	0	19	6	29	0	0	32	6	92	150	164	NA	551	123.2	NA
Syphilis > two years or unspecified duration	2	157	17	46	2	3	76	27	330	411	392	NA	1,541	315.2	NA
Syphilis - congenital	0	1	1	0	0	0	1	0	3	4	4	3.6	16	14.0	1.1
Vaccine preventable disease															
Diphtheria	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.2	0.0
<i>Haemophilus influenzae</i> type b	0	3	0	1	0	0	1	0	5	5	2	3.4	18	22.6	0.8
Influenza (laboratory confirmed)¶	4	152	2	201	2	3	14	33	411	2,960	763	345.0	4,550	2,642.0	1.7
Measles	0	0	0	1	0	0	1	0	2	1	17	19.6	10	84.2	0.1
Mumps	1	19	1	3	3	0	5	2	34	76	36	24.8	234	115.0	2.0
Pertussis	131	1,207	13	518	318	5	302	65	2,559	3,596	3,355	2,345.0	10,954	6,945.0	1.6
Pneumococcal disease (invasive)¶	7	122	15	56	32	7	49	25	313	633	465	497.3	1,670	2,195.3	0.8
Poliomyelitis	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Rubella	0	0	0	2	0	0	0	0	2	7	10	60.8	29	185.4	0.2
Rubella - congenital	0	0	0	0	0	0	0	0	0	1	0	0.2	1	1.0	1.0
Tetanus	0	0	0	0	0	0	2	0	2	0	1	1.4	2	4.8	0.4
Vectorborne diseases															
Barmah Forest virus infection	0	91	8	119	9	1	2	34	264	226	274	183.2	1,288	1,025.8	1.3
Dengue	0	19	0	11	3	0	0	5	38	33	19	58.2	208	340.8	0.6
Flavivirus infection (NEC)	0	1	0	2	0	0	1	0	4	8	5	10.0	29	69.6	0.4
Japanese encephalitis virus	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.4	0.0
Kunjin virus	0	0	1	0	0	0	0	0	1	0	2	0.8	2	9.0	0.2
Malaria	4	24	5	46	8	1	18	23	129	162	149	145.6	807	660.0	1.2
Murray Valley encephalitis virus	0	0	0	0	0	0	0	0	0	0	0	0.0	2	2.3	0.0
Ross River virus infection	1	148	29	143	59	1	36	161	578	283	239	354.8	2,334	3,392.2	0.7

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 October to 31 December 2005, by date of onset,* continued

Disease	No	1	State or territory						Total 4th quarter 2005†	Total 3rd quarter 2005	Total 4th quarter 2004	Total 3rd quarter 2004	Year to date 2005	Last 5 years YTD mean	Ratio‡
			ACT	NSW	NT	Qld	SA	Tas							
Zoonoses															
Anthrax	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
Australian bat lyssavirus	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
Brucellosis	0	1	0	17	0	0	0	0	0	18	8	16	9.0	4.1	29.4
Leptospirosis	0	8	0	6	6	0	4	1	25	25	25	38.6	125	194.6	1.4
Lyssavirus unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0.0
Ornithosis	0	16	0	0	0	0	8	1	25	40	53	42.4	156	174.0	0.9
Q fever	0	27	1	26	1	0	4	3	62	73	117	147.0	331	609.2	0.5
Other bacterial infections															
Legionellosis	0	18	0	11	21	0	14	23	87	91	75	87.2	339	347.8	1.0
Leprosy	0	0	0	0	0	0	0	0	1	1	1	1.0	7	6.2	1.1
Meningococcal infection††	1	29	3	14	9	4	28	12	100	141	81	141.6	391	593.4	0.7
Tuberculosis	0	69	7	36	9	2	102	9	234	183	306	285.6	893	1,006.2	0.9
Total	529	8,021	1,044	6,865	2,324	687	5,665	3,433	28,568	32,889	29,386	25,619.5	126,731	104,021	1.1

* Date of onset = the true onset. If this is not available, the 'date of onset' is equivalent to the earliest of two dates: (i) specimen date of collection, or (ii) the date of notification to the public health unit. Hepatitis B and C unspecified were analysed by the date of notification.

† Totals comprise data from all states and territories. Cumulative figures are subject to retrospective revision so there may be discrepancies between the number of new notifications and the increment in the cumulative figure from the previous period.

‡ Ratio = ratio of current quarter total to the mean of last 5 years for the same quarter.

§ Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

|| Notifiable from January 2001 only. Ratio and mean calculations are based on the last four years.

¶ Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

** Includes *Chlamydia trachomatis* identified from cervical, rectal, urine, urethral, throat and eye samples, except for South Australia which reports only genital tract specimens. Northern Territory which excludes ocular specimens, and Western Australia which excludes ocular and perinatal infections.

†† Only invasive meningococcal disease is nationally notifiable. However, New South Wales, the Australian Capital Territory and South Australia also report conjunctival cases.

NN Not notifiable.
NEC Not elsewhere classified.

**Table 3. Notification rates of diseases, 1 October to 31 December 2005, by state or territory.
(Rate per 100,000 population)**

Disease*	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
Bloodborne diseases									
Hepatitis B (incident)	1.2	0.7	0.0	1.0	0.3	0.0	1.0	1.0	0.8
Hepatitis B (unspecified)	35.8	38.9	116.1	24.3	14.1	10.8	26.7	15.7	28.9
Hepatitis C (incident)	0.0	0.5	0.0	NN	2.3	0.0	1.0	4.2	1.3
Hepatitis C (unspecified)	53.1	82.9	102.0	75.9	28.4	27.4	41.1	48.8	62.1
Hepatitis D	0.0	0.1	0.0	0.2	0.0	0.0	0.1	0.4	0.1
Gastrointestinal diseases									
Botulism	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Campylobacteriosis†	121.0	NN	128.1	129.1	208.8	180.0	111.2	148.1	136.0
Cryptosporidiosis	7.4	15.9	32.0	22.5	9.1	10.8	9.1	5.2	13.8
Haemolytic uraemic syndrome	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Hepatitis A	2.5	1.1	18.0	0.9	0.8	0.0	0.7	0.4	1.1
Hepatitis E	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Listeriosis	1.2	0.4	0.0	0.4	1.0	0.0	0.2	0.0	0.4
Salmonellosis (NEC)	18.5	31.3	158.1	71.0	38.8	141.9	30.9	46.6	44.7
Shigellosis	1.2	1.2	80.0	2.1	5.5	0.0	1.5	6.9	3.1
SLTEC, VTEC‡	0.0	0.4	0.0	0.1	3.1	0.8	0.0	0.0	0.4
Typhoid	0.0	0.1	0.0	0.3	0.0	0.0	0.1	0.2	0.1
Quarantineable diseases									
Cholera	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Plague	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rabies	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Smallpox	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tularemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Viral haemorrhagic fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sexually transmissible infections									
Chlamydial infection§	186.4	145.6	624.3	197.8	152.8	164.3	142.3	249.6	171.5
Donovanosis	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.1
Gonococcal infection	12.3	19.9	564.2	37.9	14.6	7.5	24.8	70.8	34.2
Syphilis (all)	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Syphilis < 2 years duration	0.0	1.1	12.0	3.0	0.0	0.0	2.6	1.2	1.8
Syphilis > 2 years or unspecified duration	1.2	9.3	34.0	4.7	0.5	2.5	6.1	5.4	6.5
Syphilis - congenital	0.0	0.1	2.0	0.0	0.0	0.0	0.1	0.0	0.1

**Table 3. Notification rates of diseases, 1 October to 31 December 2005, by state or territory.
(Rate per 100,000 population), continued**

Disease*	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
Vaccine preventable diseases									
Diphtheria	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Haemophilus influenzae</i> type b	0.0	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.1
Influenza (laboratory confirmed)	4.9	9.0	4.0	20.5	0.5	2.5	1.1	6.7	8.1
Measles	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.1
Mumps	1.2	1.1	2.0	0.3	0.8	0.0	0.4	0.4	0.7
Pertussis	140.7	71.0	26.0	53.5	82.4	4.1	24.3	13.1	50.3
Pneumococcal disease (invasive)	8.6	7.2	30.0	5.8	8.3	5.8	3.9	5.0	6.2
Poliomyelitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rubella	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1
Rubella - congenital	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tetanus	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.1
Vectorborne diseases									
Barmah Forest virus infection	0.0	5.4	16.0	12.3	2.3	0.8	0.2	6.1	5.2
Dengue	0.0	1.1	0.0	1.1	0.8	0.0	0.0	1.0	0.8
Flavivirus infection (NEC)	0.0	0.1	0.0	0.2	0.0	0.0	0.1	0.0	0.1
Japanese encephalitis virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kunjin virus	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.1
Malaria	4.9	1.4	10.0	4.6	2.1	0.8	1.4	4.6	2.5
Murray Valley encephalitis virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ross River virus infection	2.5	8.8	58.0	14.7	15.4	0.8	2.9	24.0	10.7
Zoonoses									
Anthrax	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Australian bat lyssavirus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brucellosis	0.0	0.1	0.0	1.4	0.0	0.0	0.0	0.0	0.3
Leptospirosis	0.0	0.5	0.0	0.6	1.6	0.0	0.3	0.2	0.5
Lyssavirus unspecified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ornithosis	1.2	1.0	0.0	0.0	0.0	0.0	0.6	0.2	0.5
Q fever	0.0	1.6	2.0	2.7	0.3	0.0	0.3	0.6	1.2
Other bacterial infections									
Legionellosis	0.0	1.1	0.0	1.1	5.5	0.0	1.1	3.0	1.6
Leprosy	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1
Meningococcal infection ^{II}	1.2	1.7	6.0	1.4	2.3	3.3	2.3	2.4	2.0
Tuberculosis	0.0	4.1	14.0	3.7	2.3	1.7	8.2	3.8	4.6

* Rates are subject to retrospective revision.

† Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

‡ Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

§ Includes *chlamydia trachomatis* identified from cervical, rectal, urine, urethral, throat and eye samples, except for South Australia which reports only genital tract specimens, Northern Territory which excludes ocular specimens, and Western Australia which excludes ocular and perinatal infections.

|| Only invasive meningococcal disease is nationally notifiable. However, New South Wales, the Australian Capital Territory and South Australia also report conjunctival cases.

NN Not notifiable.

NEC Not elsewhere classified.

Table 4. Virology and serology laboratory reports by state or territory* for the reporting period 1 October to 31 December 2005, and total reports for the year†

	State or territory								This period 2005	This period 2004	Year to date 2005	Year to date 2004
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
Measles, mumps, rubella												
Measles virus	—	—	—	2	1	—	1	—	4	14	8	35
Mumps virus	—	—	—	2	5	—	6	—	13	1	38	6
Rubella virus	—	—	—	1	—	—	—	—	1	9	12	20
Hepatitis viruses												
Hepatitis A virus	—	—	1	5	9	—	—	—	15	15	53	51
Hepatitis D virus	—	—	—	—	1	—	1	—	2	1	14	8
Hepatitis E virus	—	—	—	—	—	—	1	—	1	1	12	14
Arboviruses												
Ross River virus	—	—	10	32	55	—	7	15	119	36	452	743
Barmah Forest virus	—	3	1	14	9	—	—	—	27	27	185	195
Flavivirus (unspecified)	—	1	—	6	—	—	1	—	8	8	37	102
Adenoviruses												
Adenovirus type 1	—	1	—	—	—	—	—	—	1	—	7	—
Adenovirus not typed/pending	—	40	1	25	81	—	28	—	175	258	673	1,052
Herpesviruses												
Herpes virus type 6	—	—	—	—	—	—	1	—	1	2	2	6
Cytomegalovirus	1	55	1	23	194	4	31	—	309	220	1,038	834
Varicella-zoster virus	1	38	—	271	54	4	17	1	386	544	1,497	2,061
Epstein-Barr virus	—	15	26	229	194	3	25	113	605	512	2,148	2,367
Other DNA viruses												
Parvovirus	—	5	—	33	32	—	9	—	79	129	202	413
Picornavirus family												
Coxsackievirus A9	—	1	—	—	—	—	—	—	1	—	3	1
Coxsackievirus A16	—	1	—	—	—	—	—	—	1	—	6	5
Echovirus type 5	—	2	—	—	—	—	—	—	2	—	2	—
Echovirus type 7	—	1	—	—	—	—	—	—	1	11	8	12
Echovirus type 9	—	1	—	—	—	—	—	—	1	6	2	10
Echovirus type 18	—	1	—	—	—	—	—	—	1	14	14	19
Echovirus type 30	—	4	—	—	—	—	—	—	4	1	35	7
Poliovirus type 1 (uncharacterised)	—	2	—	—	—	—	—	—	2	3	21	18
Poliovirus type 2 (uncharacterised)	—	1	—	—	—	—	—	—	1	8	19	21
Rhinovirus (all types)	1	62	—	—	17	—	—	—	80	188	326	617
Enterovirus not typed/pending	—	26	—	9	3	—	6	—	44	72	185	205
Ortho/paramyxoviruses												
Influenza A virus	—	4	—	8	40	—	8	—	60	137	696	492
Influenza B virus	—	7	—	—	17	—	3	—	27	89	253	219
Parainfluenza virus type 1	—	5	—	—	6	—	3	—	14	12	59	143
Parainfluenza virus type 2	—	2	—	—	1	—	—	—	3	4	49	15
Parainfluenza virus type 3	—	33	—	7	56	—	16	—	112	228	386	655
Respiratory syncytial virus	—	33	—	54	24	1	17	—	129	114	1,677	2,599

Table 4. Virology and serology laboratory reports by state or territory* for the reporting period 1 October to 31 December 2005, and total reports for the year,[†] continued

	State or territory								This period 2005	This period 2004	Year to date 2005	Year to date 2004
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
Other RNA viruses												
HTLV-1	—	—	—	—	3	—	—	—	3	2	9	15
Rotavirus	1	99	—	1	119	3	42	—	265	626	1,263	1,247
Astrovirus	—	—	—	—	—	—	4	—	4	—	4	—
Norwalk agent	—	—	—	—	—	—	67	—	67	168	230	659
Other												
<i>Chlamydia trachomatis</i> - not typed	—	113	—	626	474	14	39	1	1,267	1,242	5,045	5,257
<i>Chlamydia pneumoniae</i>	—	—	—	—	—	—	2	—	2	2	8	9
<i>Chlamydia psittaci</i>	—	—	—	—	—	—	14	—	14	35	52	173
<i>Chlamydia</i> species	—	—	—	—	—	—	1	—	1	—	1	3
<i>Mycoplasma pneumoniae</i>	—	11	8	114	108	19	65	46	371	331	1,298	1,374
<i>Mycoplasma hominis</i>	—	1	—	—	—	—	—	—	1	1	5	5
<i>Coxiella burnetii</i> (Q fever)	—	2	—	13	21	—	5	—	41	51	162	173
<i>Rickettsia prowazekii</i>	—	—	—	—	—	—	—	—	—	—	—	—
<i>Rickettsia tsutsugamushi</i>	—	—	—	—	—	—	—	—	—	—	—	—
<i>Rickettsia</i> - spotted fever group	—	—	—	—	58	—	—	—	58	89	236	139
<i>Streptococcus</i> group A	—	6	—	129	—	—	43	—	178	107	609	467
<i>Brucella</i> species	—	1	—	4	—	—	—	—	5	4	14	9
<i>Bordetella pertussis</i>	—	11	1	63	278	1	52	—	406	599	1,573	1,358
<i>Legionella pneumophila</i>	—	1	—	—	3	—	2	—	6	12	23	77
<i>Legionella longbeachae</i>	—	1	—	—	13	—	—	—	14	17	51	76
<i>Legionella</i> species	—	—	—	1	—	—	—	—	1	1	1	15
<i>Cryptococcus</i> species	—	2	—	—	10	—	—	—	12	6	41	38
<i>Leptospira</i> species	—	—	—	2	8	—	—	—	10	4	33	23
<i>Treponema pallidum</i>	—	25	—	133	92	—	1	—	251	244	1,086	1,154
<i>Entamoeba histolytica</i>	—	—	—	—	—	—	2	—	2	5	14	14
<i>Toxoplasma gondii</i>	—	2	—	6	3	—	2	—	13	14	44	41
<i>Echinococcus granulosus</i>	—	—	—	—	2	—	—	—	2	3	10	15
Total	4	619	49	1,813	1,991	49	522	176	5,223	6,227	21,931	25,286

* State or territory of postcode, if reported, otherwise state or territory of reporting laboratory.

† Data presented are for reports with reports dates in the current period.

— No data received this period.

Table 5. Virology and serology reports by laboratories for the reporting period 1 October to 31 December 2005*

State or territory	Laboratory	October 2005	November 2005	December 2005	Total this period
Australian Capital Territory	The Canberra Hospital	—	—	—	—
New South Wales	Institute of Clinical Pathology and Medical Research, Westmead	61	84	108	253
	New Children's Hospital, Westmead	81	65	33	179
	Repatriation General Hospital, Concord	—	—	—	—
	Royal Prince Alfred Hospital, Camperdown	—	—	—	—
	South West Area Pathology Service, Liverpool	124	15	—	139
Queensland	Queensland Medical Laboratory, West End	667	611	606	1,884
	Townsville General Hospital	—	—	—	—
South Australia	Institute of Medical and Veterinary Science, Adelaide	757	731	501	1,989
Tasmania	Northern Tasmanian Pathology Service, Launceston	19	15	10	44
	Royal Hobart Hospital, Hobart	—	—	—	—
Victoria	CSL, Melbourne	20	9	16	45
	Monash Medical Centre, Melbourne	27	12	2	41
	Royal Children's Hospital, Melbourne	99	83	43	225
	Victorian Infectious Diseases Reference Laboratory, Fairfield	102	69	43	214
Western Australia	PathCentre Virology, Perth	—	—	—	—
	Princess Margaret Hospital, Perth	—	—	—	—
	Western Diagnostic Pathology	45	103	62	210
Total		2,002	1,797	1,424	5,223

* The complete list of laboratories reporting for the 12 months, January to December 2005, will appear in every report regardless of whether reports were received in this reporting period. Reports are not always received from all laboratories.

— No data received this period.