

Tables

National Notifiable Diseases Surveillance System

A summary of diseases currently being reported by each jurisdiction is provided in Table 1. There were 33,300 notifications to the National Notifiable Diseases Surveillance System (NNDSS) with a notification date between 1 April and 30 June 2007 (Table 2). The notification rate of diseases per 100,000 population for each state or territory is presented in Table 3.

Table 1. Reporting of notifiable diseases by jurisdiction

Disease	Data received from:	Disease	Data received from:
Bloodborne diseases		Vaccine preventable diseases	
Hepatitis B (incident)	All jurisdictions	Diphtheria	All jurisdictions
Hepatitis B (unspecified)	All jurisdictions	<i>Haemophilus influenzae</i> type b	All jurisdictions
Hepatitis C (incident)	All jurisdictions except Qld	Influenza (laboratory confirmed)*	All jurisdictions
Hepatitis C (unspecified)	All jurisdictions	Measles	All jurisdictions
Hepatitis D	All jurisdictions	Mumps	All jurisdictions
Gastrointestinal diseases		Pertussis	All jurisdictions
Botulism	All jurisdictions	Pneumococcal disease (invasive)	All jurisdictions
Campylobacteriosis	All jurisdictions except NSW	Poliomyelitis	All jurisdictions
Cryptosporidiosis	All jurisdictions	Rubella	All jurisdictions
Haemolytic uraemic syndrome	All jurisdictions	Rubella - congenital	All jurisdictions
Hepatitis A	All jurisdictions	Tetanus	All jurisdictions
Hepatitis E	All jurisdictions	Varicella infections (chickenpox)	All jurisdictions except NSW
Listeriosis	All jurisdictions	Varicella infections (unspecified)	All jurisdictions except NSW
Salmonellosis	All jurisdictions	Varicella zoster infections	All jurisdictions except NSW
Shigellosis	All jurisdictions	Vectorborne diseases	
SLTEC, VTEC	All jurisdictions	Barmah Forest virus infection	All jurisdictions
Typhoid	All jurisdictions	Flavivirus infection (NEC) [†]	All jurisdictions
Quarantinable diseases		Dengue	All jurisdictions
Cholera	All jurisdictions	Japanese encephalitis virus	All jurisdictions
Plague	All jurisdictions	Kunjin virus	All jurisdictions
Rabies	All jurisdictions	Malaria	All jurisdictions
Smallpox	All jurisdictions	Murray Valley encephalitis virus	All jurisdictions
Tularemia	All jurisdictions	Ross River virus infection	All jurisdictions
Viral haemorrhagic fever	All jurisdictions	Zoonoses	
Yellow fever	All jurisdictions	Anthrax	All jurisdictions
Sexually transmissible infections		Australian bat lyssavirus	All jurisdictions
Chlamydial infection	All jurisdictions	Brucellosis	All jurisdictions
Donovanosis	All jurisdictions	Leptospirosis	All jurisdictions
Gonococcal infection	All jurisdictions	Lyssaviruses unspecified	All jurisdictions
Syphilis (all)	All jurisdictions	Ornithosis	All jurisdictions
Syphilis <2 years duration	All jurisdictions	Q fever	All jurisdictions
Syphilis >2 years or unspecified duration	All jurisdictions	Other bacterial infections	
Syphilis - congenital	All jurisdictions	Legionellosis	All jurisdictions
		Leprosy	All jurisdictions
		Meningococcal infection	All jurisdictions
		Tuberculosis	All jurisdictions

* Laboratory confirmed influenza is not notifiable in South Australia but reports are forwarded to NNDSS.

† Flavivirus (NEC) replaced Arbovirus (NEC) from 1 January 2004.

Table 2. Notifications of diseases received by state and territory health authorities in the period 1 April to 30 June 2007, by date of onset*

Disease	State or territory										Total 2nd quarter 2007†	Total 1st quarter 2007	Total 2nd quarter 2006	Last 5 years mean 2nd quarter	Year to date 2007	Last 5 years YTD mean	Ratio‡
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA									
Bloodborne diseases																	
Hepatitis B (incident)	2	15	5	14	0	1	18	12	67	76	83	83.6	143	165.4	0.9		
Hepatitis B (unspecified)	11	788	43	276	85	5	433	161	1,802	1,991	1,488	1,518.4	3,793	3,073.0	1.2		
Hepatitis C (incident)	1	9	0	NN	7	3	24	18	62	87	118	110.0	149	226.4	0.6		
Hepatitis C (unspecified)	38	1,534	55	695	77	54	663	265	3,381	3,772	2,734	3,217.0	7,153	6,714.0	1.1		
Hepatitis D	0	4	0	2	0	0	2	0	8	9	6	6.4	17	12.4	1.4		
Gastrointestinal diseases																	
Botulism	0	0	0	0	0	0	0	0	0	1	0	0.3	1	0.8	1.3		
Campylobacteriosis§	104	NN	98	988	658	164	1,358	448	3,818	4,846	3,377	3,325.8	8,664	7,426.4	1.2		
Cryptosporidiosis	2	81	36	85	81	7	149	165	606	1,122	937	625.4	1,728	1,812.8	1.0		
Haemolytic uraemic syndrome	0	1	0	0	0	0	2	0	3	7	0	2.4	10	6.4	1.6		
Hepatitis A	0	12	1	9	1	1	5	10	39	47	65	86.0	86	197.4	0.4		
Hepatitis E	0	0	0	2	0	0	4	0	6	6	4	4.6	12	12.6	1.0		
Listeriosis	0	5	0	0	0	1	2	0	8	16	7	16.2	24	34.0	0.7		
Salmonellosis (NEC)	30	617	118	666	187	47	476	216	2,357	3,494	1,852	1,878.2	5,851	4,704.0	1.2		
Shigellosis	0	16	39	10	13	2	25	25	130	145	136	138.8	275	314.4	0.9		
SLTEC, VTEC¶	0	2	0	3	5	0	2	0	12	40	18	16.8	52	33.2	1.6		
Typhoid	0	11	0	1	0	0	5	0	17	37	21	12.0	54	37.0	1.5		
Quarantinable diseases																	
Cholera	0	1	0	0	0	0	0	0	1	1	0	0.8	2	1.6	1.3		
Plague	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0		
Rabies	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0		
Smallpox	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0		
Tularemia	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0		
Viral haemorrhagic fever	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0		
Yellow fever	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0		

Table 2. Notifications of diseases received by state and territory health authorities in the period 1 April to 30 June 2007, by date of onset,*
continued

Disease	State or territory							WA	Total 2nd quarter 2007†	Total 1st quarter 2007	Total 2nd quarter 2006	Last 5 years mean 2nd quarter	Year to date 2007	Last 5 years YTD mean	Ratio†
	ACT	NSW	NT	Qld	SA	Tas	Vic								
Sexually transmissible infections															
Chlamydia infection¶	222	2,856	693	3,108	763	286	2,467	1,763	12,158	13,253	11,699	9,064.2	25,411	18,082.2	1.4
Donovanosis	0	0	0	0	0	0	0	0	0	1	3	2.8	1	7.0	0.1
Gonococcal infection	9	351	535	349	150	9	230	410	2,043	2,005	2,379	1,954.2	4,048	3,889.4	1.0
Syphilis (all)	6	311	89	96	12	10	195	48	767	726	655	220.0	1,493	478.2	3.1
Syphilis < two years duration	0	60	63	54	1	4	82	30	294	291	201	100.4	585	262.0	2.2
Syphilis > two years or unspecified duration	6	251	26	42	11	6	113	18	473	435	454	243.0	908	454.0	2.0
Syphilis - congenital	0	1	2	0	0	0	0	0	3	2	7	6.0	5	9.4	0.5
Vaccine preventable diseases															
Diphtheria	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
<i>Haemophilus influenzae</i> type b	0	0	0	0	0	0	0	2	2	2	2	5.2	4	10.6	0.4
Influenza (laboratory confirmed)	6	152	7	205	10	14	33	95	522	337	397	444.6	851	624.4	1.4
Measles	0	1	0	1	0	0	1	0	3	4	96	27.8	7	40.0	0.2
Mumps	0	53	12	8	5	0	8	1	87	45	94	44.0	132	75.0	1.8
Pertussis	24	420	6	334	94	5	283	19	1,185	1,031	2,727	1,704.2	2,216	3,408.2	0.6
Pneumococcal disease (invasive)	8	109	17	69	34	3	74	30	344	190	425	539.0	534	833.8	0.6
Poliomyelitis	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Rubella	1	5	0	4	1	0	3	1	15	8	17	20.4	21	42.2	0.5
Rubella - congenital	0	0	0	0	0	0	0	0	0	0	0	0.4	0	0.8	0.0
Tetanus	0	0	0	0	0	0	0	0	0	0	0	0.6	0	2.4	0.0
Varicella infections (chickenpox)	NDP	NN	17	44	163	1	NN	40	265	350	168	NA	615	NA	NA
Varicella infections (unspecified)	NDP	NN	16	79	162	18	NN	69	344	1,134	174	NA	1,478	NA	NA
Varicella zoster infections	NDP	NN	2	719	73	7	NN	153	954	382	854	NA	1,336	NA	NA
Vectorborne diseases															
Barmah Forest virus infection	4	232	32	244	11	0	9	18	550	437	659	507.4	987	906.2	1.1
Dengue	1	16	3	42	4	0	2	10	78	90	56	95.2	168	254.6	0.7
Flavivirus infection (NEC)	0	0	0	6	0	0	1	0	7	12	10	12.8	19	33.6	0.6
Japanese encephalitis virus	0	0	0	0	0	0	0	0	0	0	0	0.2	0	0.4	0.0
Kunjin virus	0	0	0	0	0	0	0	0	0	0	2	1.4	0	6.0	0.0
Malaria	1	17	9	61	11	2	38	28	167	153	203	158.2	320	362.2	0.9
Murray Valley encephalitis virus	0	0	0	0	0	0	0	0	0	0	1	0.2	0	1.2	0.0
Ross River virus infection	4	278	67	718	51	2	22	118	1,260	1,089	1,133	1,196.8	2,349	2,807.2	0.8

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 April to 30 June 2007, by date of onset,* continued

Disease	State or territory					VIC	WA	Total 2nd quarter 2007†	Total 1st quarter 2007	Total 2nd quarter 2006	Last 5 years mean 2nd quarter	Year to date 2007	Last 5 years YTD mean	Ratio‡
	ACT	NSW	NT	Qld	SA									
Zoonoses														
Anthrax	0	0	0	0	0	0	0	0	1	0	0.0	1	0.2	0.0
Australian bat lyssavirus	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Brucellosis	0	0	0	4	0	0	0	1	14	7	6.4	19	16.2	1.2
Leptospirosis	0	1	0	22	1	0	2	2	48	58	44.2	76	99.6	0.8
Lyssavirus unspecified	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Ornithosis	0	10	0	0	0	0	15	0	26	40	52.2	51	92.6	0.6
Q fever	0	47	1	30	11	0	9	2	113	85	131.2	213	271.8	0.8
Other bacterial infections														
Legionellosis	2	26	2	15	8	1	16	10	73	72	85.0	151	168.6	0.9
Leprosy	0	1	0	2	1	0	0	1	3	2	1.6	8	4.4	1.8
Meningococcal infection**	0	22	2	7	3	1	22	2	46	66	107.0	105	196.2	0.5
Tuberculosis	3	67	5	34	14	2	66	13	262	273	260.4	466	521.4	0.9
Total	479	8,072	1,912	8,952	2,696	646	6,664	4,156	37,534	33,210	28,319.3	70,834	59,146.0	1.2

* Date of onset = the true onset. If this is not available, the 'date of onset' is equivalent to the earliest of two dates: (i) specimen date of collection, or (ii) the date of notification to the public health unit. Hepatitis B and C unspecified were analysed by the date of notification.

† Totals comprise data from all states and territories. Cumulative figures are subject to retrospective revision so there may be discrepancies between the number of new notifications and the increment in the cumulative figure from the previous period.

‡ Ratio = ratio of current quarter total to the mean of last 5 years for the same quarter. Note: Ratios for syphilis <2 years; syphilis >2 years or unspecified duration based on 2 years data

§ Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

|| Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

¶ Includes *Chlamydia trachomatis* identified from cervical, rectal, urine, urethral, throat and eye samples, except for South Australia which reports only genital tract specimens, Northern Territory which excludes ocular specimens, and Western Australia which excludes ocular and perinatal infections.

** Only invasive meningococcal disease is nationally notifiable. However, New South Wales, the Australian Capital Territory and South Australia also report conjunctival cases.

NN Not notifiable.

NEC Not elsewhere classified.

NA Not applicable.

NDP No data provided.

Table 3. Notification rates of diseases, 1 April to 30 June 2007, by state or territory. (Annualised rate per 100,000 population)

Disease*	State or territory								Aust
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
Bloodborne diseases									
Hepatitis B (incident)	2.4	0.9	9.7	1.4	0.0	0.8	1.4	2.3	1.3
Hepatitis B (unspecified)	13.4	46.2	83.2	27.2	21.9	4.1	34.0	31.4	35.0
Hepatitis C (incident)	1.2	0.5	0.0	NN	1.8	2.5	1.9	3.5	1.5
Hepatitis C (unspecified)	46.2	89.9	106.4	68.6	19.8	44.2	52.1	51.7	65.6
Hepatitis D	0.0	0.2	0.0	0.2	0.0	0.0	0.2	0.0	0.2
Gastrointestinal diseases									
Botulism	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Campylobacteriosis†	126.5	NN	189.7	97.5	169.3	134.2	106.7	87.4	110.8
Cryptosporidiosis	2.4	4.7	69.7	8.4	20.8	5.7	11.7	32.2	11.8
Haemolytic uraemic syndrome	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.1
Hepatitis A	0.0	0.7	1.9	0.9	0.3	0.8	0.4	2.0	0.8
Hepatitis E	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.0	0.1
Listeriosis	0.0	0.3	0.0	0.0	0.0	0.8	0.2	0.0	0.2
Salmonellosis (NEC)	36.5	36.1	228.4	65.7	48.1	38.4	37.4	42.1	45.8
Shigellosis	0.0	0.9	75.5	1.0	3.3	1.6	2.0	4.9	2.5
SLTEC, VTEC‡	0.0	0.1	0.0	0.3	1.3	0.0	0.2	0.0	0.2
Typhoid	0.0	0.6	0.0	0.1	0.0	0.0	0.4	0.0	0.3
Quarantinable diseases									
Cholera	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Plague	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rabies	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Smallpox	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tularemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Viral haemorrhagic fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sexually transmissible infections									
Chlamydial infection§	270.1	167.3	1341.2	306.7	196.3	234.0	193.8	343.9	236.0
Donovanosis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gonococcal infection	10.9	20.6	1035.4	34.4	38.6	7.4	18.1	80.0	39.7
Syphilis (all)	7.3	18.2	172.2	9.5	3.1	8.2	15.3	9.4	14.9
Syphilis <2 years duration	0.0	3.5	121.9	5.3	0.3	3.3	6.4	5.9	5.7
Syphilis >2 years or unspecified duration	7.3	14.7	50.3	4.1	2.8	4.9	8.9	3.5	9.2
Syphilis - congenital	0.0	0.1	3.9	0.0	0.0	0.0	0.0	0.0	0.1
Vaccine preventable diseases									
Diphtheria	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Haemophilus influenzae</i> type b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0
Influenza (laboratory confirmed)	7.3	8.9	13.5	20.2	2.6	11.5	2.6	18.5	10.1
Measles	0.0	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.1
Mumps	0.0	3.1	23.2	0.8	1.3	0.0	0.6	0.2	1.7
Pertussis	29.2	24.6	11.6	33.0	24.2	4.1	22.2	3.7	23.0
Pneumococcal disease (invasive)	9.7	6.4	32.9	6.8	8.7	2.5	5.8	5.9	6.7
Poliomyelitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 3. Notification rates of diseases, 1 April to 30 June 2007, by state or territory. (Annualised rate per 100,000 population), continued

Disease*	State or territory								Aust
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
Vaccine preventable diseases, continued									
Rubella	1.2	0.3	0.0	0.4	0.3	0.0	0.2	0.2	0.3
Rubella - congenital	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tetanus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Varicella infections (chickenpox)	NDP	NN	32.9	4.3	41.9	0.8	NN	7.8	12.7
Varicella infections (unspecified)	NDP	NN	31.0	7.8	41.7	14.7	NN	13.5	16.5
Varicella zoster infections	NDP	NN	3.9	71.0	18.8	5.7	NN	29.8	45.7
Vectorborne diseases									
Barmah Forest virus infection	4.9	13.6	61.9	24.1	2.8	0.0	0.7	3.5	10.7
Dengue	1.2	0.9	5.8	4.1	1.0	0.0	0.2	2.0	1.5
Flavivirus infection (NEC)	0.0	0.0	0.0	0.6	0.0	0.0	0.1	0.0	0.1
Japanese encephalitis virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kunjin virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Malaria	1.2	1.0	17.4	6.0	2.8	1.6	3.0	5.5	3.2
Murray Valley encephalitis virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ross River virus infection	4.9	16.3	129.7	70.9	13.1	1.6	1.7	23.0	24.5
Zoonoses									
Anthrax	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Australian bat lyssavirus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brucellosis	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.2	0.1
Leptospirosis	0.0	0.1	0.0	2.2	0.3	0.0	0.2	0.4	0.5
Lyssavirus unspecified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ornithosis	0.0	0.6	0.0	0.0	0.0	0.0	1.2	0.0	0.5
Q fever	0.0	2.8	1.9	3.0	2.8	0.0	0.7	0.4	1.9
Other bacterial infections									
Legionellosis	2.4	1.5	3.9	1.5	2.1	0.8	1.3	2.0	1.6
Leprosy	0.0	0.1	0.0	0.2	0.3	0.0	0.0	0.2	0.1
Meningococcal infection	0.0	1.3	3.9	0.7	0.8	0.8	1.7	0.4	1.1
Tuberculosis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* Rates are subject to retrospective revision.

† Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

‡ Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

§ Includes *Chlamydia trachomatis* identified from cervical, rectal, urine, urethral, throat and eye samples, except for South Australia which reports only genital tract specimens, Northern Territory which excludes ocular specimens, and Western Australia which excludes ocular and perinatal infections.

|| Only invasive meningococcal disease is nationally notifiable. However, New South Wales, the Australian Capital Territory and South Australia also report conjunctival cases.

NN Not notifiable.

NEC Not elsewhere classified.

NA Not applicable.

NDP No data provided.

Laboratory Serology and Virology Reporting Scheme

There were 5,015 reports received by the Virology and Serology Laboratory Reporting Scheme (LabVISE) in the reporting period, 1 April to 30 June 2007 (Tables 4 and 5).

Table 4. Virology and serology laboratory reports by state or territory* for the reporting period 1 April to 30 June 2007, and total reports for the year†

	State or territory								This period 2007	This period 2006	Year to date 2007	Year to date 2006
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
Measles, mumps, rubella												
Measles virus	–	–	–	1	–	–	–	–	1	41	7	52
Mumps virus	–	–	–	2	1	–	2	–	5	11	14	23
Rubella virus	–	–	–	1	–	–	–	–	1	6	9	8
Hepatitis viruses												
Hepatitis A virus	–	–	–	4	3	–	–	–	7	5	17	16
Hepatitis D virus	–	–	–	1	3	–	2	–	6	2	13	4
Arboviruses												
Ross River virus	–	8	18	307	31	1	1	8	374	189	675	977
Barmah Forest virus	–	7	–	111	6	–	1	–	125	85	265	229
Flavivirus (unspecified)	–	1	–	27	–	–	–	–	28	9	53	39
Adenoviruses												
Adenovirus not typed/pending	–	27	–	26	42	–	8	–	103	105	270	260
Cytomegalovirus	1	38	–	51	102	–	5	–	197	193	479	518
Herpes viruses												
Varicella-zoster virus	2	58	1	304	87	2	6	1	461	258	1,155	610
Epstein-Barr virus	–	8	22	268	106	1	5	106	516	275	1,193	819
Other DNA viruses												
Parvovirus	–	–	1	36	6	–	5	–	48	37	140	88
Picornavirus family												
Echovirus type 6	–	1	–	–	–	–	–	–	1	–	2	–
Echovirus type 9	–	1	–	–	–	–	–	–	1	–	1	–
Rhinovirus (all types)	–	37	–	–	3	–	–	–	40	25	107	42
Enterovirus not typed/pending	–	10	–	14	1	–	1	–	26	22	54	76
Picornavirus not typed	–	–	–	–	–	1	–	–	1	1	1	1
Ortho/paramyxoviruses												
Influenza A virus	–	2	3	12	1	–	3	–	21	42	71	72
Influenza B virus	1	1	–	2	2	–	–	–	6	38	11	44
Parainfluenza virus type 1	–	–	–	–	–	–	1	–	1	36	4	58
Parainfluenza virus type 2	–	9	–	7	2	–	–	–	18	6	23	7
Parainfluenza virus type 3	–	10	–	6	5	–	1	–	22	13	54	25
Respiratory syncytial virus	–	160	1	88	4	1	10	–	264	457	447	561

Table 4. Virology and serology laboratory reports by state or territory* for the reporting period 1 April to 30 June 2007, and total reports for the year,† *continued*

	State or territory								This period 2007	This period 2006	Year to date 2007	Year to date 2006
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
Other RNA viruses												
HTLV-1	–	–	–	–	2	–	–	–	2		5	4
Rotavirus	1	7	–	–	22	–	–	–	30	68	73	132
Norwalk agent	–	5	–	–	–	–	45	–	50	491	93	681
Other pathogens												
<i>Chlamydia trachomatis</i> not typed	–	127	–	924	465	9	5	–	1,530	997	3,682	2,472
<i>Chlamydia psittaci</i>	–	–	–	–	1	–	9	–	10	16	31	26
<i>Mycoplasma pneumoniae</i>	–	5	5	138	21	5	30	11	215	262	528	607
<i>Mycoplasma hominis</i>	–	1	–	–	–	–	–	–	1		4	10
<i>Coxiella burnetii</i> (Q fever)	–	1	1	14	10	–	1	–	27	23	52	70
<i>Rickettsia prowazeki</i>	–	–	–	–	1	–	–	–	1	–	1	24
<i>Rickettsia australis</i>	–	–	–	–	–	–	1	–	1	–	1	–
<i>Rickettsia tsutsugamushi</i>	–	–	–	–	1	–	–	–	1	4	4	21
<i>Rickettsia</i> - spotted fever group	–	–	–	–	–	–	1	–	1	9	2	66
<i>Streptococcus</i> group A	–	5	28	157	–	–	1	1	192	127	424	264
<i>Yersinia enterocolitica</i>	–	–	–	1	–	–	–	–	1	1	2	4
<i>Brucella</i> species	–	–	–	1	–	–	–	–	1	1	2	3
<i>Bordetella pertussis</i>	–	2	2	77	55	–	4	–	140	242	320	671
<i>Legionella pneumophila</i>	–	3	–	–	–	–	5	–	8	11	12	19
<i>Legionella longbeachae</i>	–	–	–	–	1	–	–	–	1	2	4	10
<i>Cryptococcus</i> species	–	1	–	1	6	1	–	–	9	4	18	14
<i>Leptospira</i> species	–	1	–	11	–	–	–	–	12	4	35	11
<i>Treponema pallidum</i>	–	19	5	197	226	–	3	–	450	219	997	495
<i>Entamoeba histolytica</i>	–	–	–	1	–	–	–	–	1	–	5	–
<i>Toxoplasma gondii</i>	–	1	–	3	1	–	1	–	6	17	14	33
<i>Echinococcus granulosus</i>	–	–	–	–	10	–	–	–	10	–	13	3
Total	5	556	87	2,793	1,227	21	157	127	4,973	4,354	11,387	10,169

* State or territory of postcode, if reported, otherwise state or territory of reporting laboratory.

† Data presented are for reports with reports dates in the current period.

– No data received this period.

Table 5. Virology and serology reports by laboratories for the reporting period 1 April to 30 June 2007*

State or territory	Laboratory	April 2007	May 2007	June 2007	Total this period
Australian Capital Territory	The Canberra Hospital	–	–	–	–
New South Wales	Institute of Clinical Pathology and Medical Research, Westmead	97	49	–	146
	New Children's Hospital, Westmead	85	106	–	191
	Repatriation General Hospital, Concord	–	–	–	–
	Royal Prince Alfred Hospital, Camperdown	13	46	–	59
	South West Area Pathology Service, Liverpool	21	0	–	21
Queensland	Queensland Medical Laboratory, West End	1,274	1,523	200	2,997
	Townsville General Hospital	–	–	–	–
South Australia	Institute of Medical and Veterinary Science, Adelaide	523	701	1	1,225
Tasmania	Northern Tasmanian Pathology Service, Launceston	4	15	1	20
	Royal Hobart Hospital, Hobart	–	–	–	–
Victoria	Monash Medical Centre, Melbourne	–	–	–	–
	Royal Children's Hospital, Melbourne	32	–	–	32
	Victorian Infectious Diseases Reference Laboratory, Fairfield	51	67	–	118
Western Australia	PathWest Virology, Perth	–	–	–	–
	Princess Margaret Hospital, Perth	–	–	–	–
	Western Diagnostic Pathology	86	78	–	164
Total		2,186	2,585	202	4,973

* The complete list of laboratories reporting for the 12 months, January to December 2007, will appear in every report regardless of whether reports were received in this reporting period. Reports are not always received from all laboratories.

– No data received this period.